



D'ORLY

PRODUCT CATALOGUE

2024-1

The logo for D'ORLY, featuring a stylized 'D' with a green triangle inside, followed by 'ORLY' in white capital letters.The logo for D'ORLY RH SERIES, featuring a stylized 'D' with a red triangle inside, followed by 'ORLY' in white capital letters, and 'RH SERIES' in red capital letters below it.

CONSTRUCTION TOOLS

INDUSTRIAL TOOLS PNEUMATIC TOOLS

4-5 INDUSTRIAL PISTON COMPRESSORS

6-7 INDUSTRIAL SCREW COMPRESSORS

8 AIR DRYERS FOR COMPRESSORS

9 PROFESSIONAL COMPRESSORS, AIR HOSE REEL

10 PROFESSIONAL FRAME COMPRESSOR, ACCESSORIES

11 NAIL GUNS

12-13 NAILS GUNS AND NAILS

14-15 CONSTRUCTION MIXERS

16 MITRE SAW

17 LASER PRODUCTS

18-19 GENERATORS

20 CONSTRUCTION HAND TOOLS

21 PRODUCT OVERVIEW

D'ORLY RH-SERIES 3HP PISTON COMPRESSOR - 50L	
Type	DRH-0503
Air intake	350 L/min
Max. Pressure	10 Bar / 145 PSI
Motor	3.0 HP - 2.2 Kw 2 CILINDER - K17 HEAD
Voltage	230 V
Speed	900 Rpm
Tank Capacity	50 L
Weight	52 kg
Noise level	72 dB
Dimensions LxWxH	850 x 400 x 740mm




D'ORLY RH-SERIES 4HP PISTON COMPRESSOR - 50L	
Type	DRH-1004
Air intake	450 L/min
Max. Pressure	10 Bar / 145 PSI
Motor	4.0 HP - 3.0 Kw 2 CILINDER - K18 HEAD
Voltage	400 V
Speed	900 Rpm
Tank Capacity	100 L
Weight	69 kg
Noise level	74 dB
Dimensions LxWxH	1200 x 470 x 830mm



D'ORLY RH-SERIES 4HP PISTON COMPRESSOR - 50L	
Type	DRH-2705
Air intake	650 L/min
Max. Pressure	11 Bar / 159.5 PSI
Motor	5.5 HP - 4.1 Kw 2 CILINDER - K28 HEAD
Voltage	400 V
Speed	900 Rpm
Tank Capacity	270 L
Weight	140 kg
Noise level	76 dB
Dimensions LxWxH	1550 x 530 x 1070mm



D'ORLY RH-SERIES 11HP INDUSTRIAL TANDEM COMPRESSOR - 500L	
Type	DRH-50055
Air intake	1300 L/min
Max. Pressure	11 Bar / 159.5 PSI
Motor	2x 5.5 HP 2 Stage 2xK30 Cilinder head
Voltage	400V
Speed	900 Rpm
Tank Capacity	500 L
Weight	330 kg
Noise level	80 dB
Dimensions LxWxH	2130 x 740 x 1350mm





**BUILT IN EUROPE WITH
CERTIFIED EUROPEAN PARTS**



**SAFE & EFFICIENT
DIRECT DRIVE MOTOR**



LOGIK-9 CONTROLLER



AUTOMATIC WATER DRAIN



AIR DRYER

**D'ORLY RH-SERIES
SCREW COMPRESSORS**

Type	RH-1000	RH-1000T	RH-1000TD	RH-1500	RH-1500T	RH-1500TD	RH-2000	RH-2000T	RH-2000TD
Air intake	1000 L/min			1500 L/min			2000 L/min		
Max. pressure	10 Bar / 145 PSI			10 Bar / 145 PSI			10 Bar / 145 PSI		
Tank capacity	-	500 L		-	500 L		-	500 L	
Motor	10 HP / 3-Fase			15 Hp / 3-Fase			20 Hp / 3-Fase		
Weight	190 kg	250 kg	280 kg	200 kg	260 kg	290 kg	220 kg	280 kg	310 kg
Noise level	66 dB			66 dB			67 dB		
Dimensions LxWxH (mm)	900x680x1080	1940x730x1640		900x680x1080	1940x730x1640		900x680x1080	1940x730x1640	
Star Delta Starter	x	x	x	x	x	x	x	x	x
Auto water tap	-	x	x	-	x	x	-	x	x
Air dryer	-	-	x	-	-	x	-	-	x
SKU	LPDORRH1000	LPDORRH1000T	LPDORRH1000TD	LPDORRH1500	LPDORRH1500T	LPDORRH1500TD	LPDORRH2000	LPDORRH2000T	LPDORRH2000TD
EAN	9507594767827	9506483584231	9509331831419	9507917247296	9505971486217	9502628973267	9508795463945	9509814513863	9504487763553





D'ORLY RH-SERIES AIR DRYERS FOR COMPRESSORS			
Type	DD-850	DD-1200	DD-1800
Air throughput	850 L/min	1200 L/min	1800 L/min
Max. Pressure	16 Bar / 232 PSI	16 Bar / 232 PSI	14 Bar / 203 PSI
Connection	1/2"	1/2"	1"
Weight	31 Kg	34 Kg	36 Kg
Dimensions LxWxH	420 x 345 x 740mm	420 x 345 x 740mm	420 x 345 x 740mm
SKU	LPDORDD850	LPDORDD1200	LPDORDD1800
EAN	9507987562565	9501776791679	9505899216866



D'ORLY PRO-SERIES 2HP PISTON COMPRESSOR - 50L	
Type	DC-1004TP
Air intake	400 L/min
Max. Pressure	8 Bar / 116 PSI
Motor	4 HP - 3.0 Kw DOUBLE PISTON
Voltage	400 V
Speed	800 Rpm
Tank Capacity	100 L
Weight	73 kg
Noise level	74 dB
Dimensions LxWxH	1200 x 470 x 830mm



D'ORLY PRO-SERIES 2HP PISTON COMPRESSOR - 50L	
Type	DC-0502
Air intake	240 L/min
Max. Pressure	8 Bar / 116 PSI
Motor	2 HP - 1.5 Kw SINGLE PISTON
Voltage	230 V
Speed	900 Rpm
Tank Capacity	50 L
Weight	54 kg
Noise level	72 dB
Dimensions LxWxH	850 x 410 x 740mm



D'ORLY AUTOMATIC AIR HOSE REEL	
Type	LPD0100300
Hose length	30 m
Hose dimensions	8 x 12 mm
Max. Pressure	12 bar / 174 PSI
Hose material	Flexible Polyurethane
Dimensions LxWxH	380 x 360 x 385mm
Weight	14.5 kg
SKU	LPD0100300



D'ORLY RH-SERIES AIR PISTOL		
Type	Orion	Euro
Material	durable plastic & metal	durable plastic & metal
Nose length	110mm	110mm
Air use	Max. 380 l/min	Max. 380 l/min
Connector	Orion	Euro
SKU	LPRED27102MT6A	LPRED27102MT7E
EAN	9506664775625	9502211775346



D'ORLY RH-SERIES 2HP PISTON COMPRESSOR - 50L	
Type	LPRED20003
Air intake	240 L/min
Max. Pressure	10 Bar / 145 PSI
Motor	1.5 HP - 1.1 Kw - 2 CILINDER EXTREME 3T - OIL FREE
Voltage	230 V
Speed	1400 Rpm
Tank Capacity	5 L
Weight	23 kg
Noise level	72 dB
Dimensions LxWxH	530 x 310 x 390mm
SKU	LPRED20003
EAN	9502482952712

D'ORLY RH-SERIES NAIL GUNS		
Type	PCN70	PCN90
Nail type	Nails	Nails
Nail dimensions	45 - 70 mm Ø 2.3 - 2.9 mm	45 - 90 mm Ø 2.87 - 3.3 mm
Required air pressure	6.0 - 8.0 bar 87 - 120 PSI	5.8 - 8 bar 84 - 120 PSI
Maximum air pressure	8.3 bar / 120 PSI	8.3 bar / 120 PSI
Magazine capacity	225 - 300 pcs	225 pcs
Air Connector	Orion	Orion
Weight	3.80 kg	4.10 kg
SKU	LPRED100070	LPRED100090

D'ORLY RH-SERIES

NAIL GUNS

Type	BN50RC	PIN5040RC	DA64FN
Nail type	18 GA Nails	18 GA Nails/Staples	15 GA Nails
Nail dimensions	15-50 mm	Nail: 15 - 50 mm Staple: 15 - 40 mm	32 - 64 mm
Required air pressure	4.8 - 7.5 bar 70 - 110 PSI	4.8 - 7.5 bar 70 - 110 PSI	5.5 - 8 bar 80 - 120 PSI
Maximum air pressure	8.3 bar / 120 PSI	8.3 bar / 120 PSI	8 bar / 120 PSI
Magazine capacity	100 pcs	100 pcs	100 pcs
Air Connector	Orion	Orion	Orion
Weight	1.55 kg	1.60 kg	2.09 kg
SKU	LPRED100050	LPRED1005040	LPRED100064
EAN	-	-	-

D'ORLY RH-SERIES

NAILS & STAPLES

BN50RC	PIN5040RC		DA64FN	PCN70	PCN90
Nail 20 mm Galvanized 5000 pcs 200120	Nail 20 mm Galvanized 5000 pcs 200120	Staple 15 mm Galvanized 5000 pcs 200515	Nail 45 mm Galvanized 4000 pcs 200345	Nail 2,5x55 mm Blank steel 9000 pcs 210140	Nail 2,8x70 mm Galvanized 6000 pcs 210535
Nail 25 mm Galvanized 5000 pcs 200125	Nail 25 mm Galvanized 5000 pcs 200125	Staple 20 mm Galvanized 5000 pcs 200520	Nail 50 mm Galvanized 4000 pcs 200350	Nail 2,5x65 mm Blank steel 7200 pcs 210240	Nail 3,1x90 mm Galvanized 3600 pcs 210540
Nail 30 mm Galvanized 5000 pcs 200130	Nail 30 mm Galvanized 5000 pcs 200130	Staple 30 mm Galvanized 5000 pcs 200530	Nail 64 mm Galvanized 4000 pcs 200364	Nail 2,5x55 mm Stainless A2 9000 pcs 210340	
Nail 35 mm Galvanized 5000 pcs 200135	Nail 35 mm Galvanized 5000 pcs 200135	Staple 40 mm Galvanized 5000 pcs 200540	Nail 32 mm Stainless 4000 pcs 200432	Nail 2,5x65 mm Stainless A2 7200 pcs 210345	
Nail 40 mm Galvanized 5000 pcs 200140	Nail 40 mm Galvanized 5000 pcs 200140		Nail 38 mm Stainless 4000 pcs 200438		
Nail 50 mm Galvanized 5000 pcs 200150	Nail 50 mm Galvanized 5000 pcs 200150		Nail 45 mm Stainless 4000 pcs 200445		
Nail 30 mm Stainless 4000 pcs 200230	Nail 30 mm Stainless 4000 pcs 200230		Nail 50 mm Stainless 4000 pcs 200450		
Nail 40 mm Stainless 4000 pcs 200240	Nail 40 mm Stainless 5000 pcs 200240				
Nail 50 mm Stainless 4000 pcs 200250	Nail 50 mm Stainless 4000 pcs 200250				

BN50RC

PIN5040RC

DA64FN

D'ORLY FLOWMASTER

Superb Mixer for Large Quantities

The FLOWMASTER stands out in the product line with its brilliant features. Its electric motor's impressive power of 1.9kW allows it to seamlessly mix up to 100 kg of suitably liquid materials.

Mixer Station with Variable Speed

The FLOWMASTER is a true beast for mixing large quantities of cement-based self-leveling materials, floor paint, permeable, crystalline waterproof coatings. Its 1900W robust motor and variable speed make this possible. Beware! The tub is not suitable for 2-component adhesives due to hardening.

Dust-free Mixer

D'Orly ingeniously designed this mixing station to tackle dust formation, a common problem with mixers. The well-designed filling mechanism prevents dust formation. Additionally, a vacuum cleaner can be connected above the filling lid to suck up the dust.

Unique Stirring Mechanism

D'Orly has thoughtfully equipped this tub mixer with a unique stirring technique. Thanks to years of research, the spiral-shaped whisk prevents clump formation and leaves no residues at the bottom and sides of the bucket.



D'ORLY FLOWMASTER MIXING STATION	
Type	FLOWMASTER
Motor	1900 W / 230 V
Mixing speed	First gear: 150-300 Rpm Second gear: 300-650 Rpm
Mixer connector	M14
Max. capacity	100 L
Empty weight	40 Kg
SKU	EGDOFLOWMASTER
EAN	9504249873599



D'ORLY MIXER	
Type	MX-1800
Motor	1800 W / 230 V
Mixing speed	First gear: 150-300 Rpm Second gear: 300-650 Rpm
Mixer connector	M14
Weight	6.0 Kg
SKU	EGDOMX-1800
EAN	9505997716961



D'ORLY MX-1800

The standard D'Orly FLOWMASTER comes with a robust 1900W mixer. However, **interchangeable** options with mixers of different brands, like the D'Orly MX1800 Mixer 1800W, makes this station more versatile.




D'ORLY
TELESCOPIC MITER SAW

Type	MS3310LRL
Motor	2000 W / 230 V
Speed	5000 Rpm
Blade	Ø 305mm x 30mm / 48T
Max cut dimensions	90° 340 x 105mm 45° 340 x 60mm 45°x45° 235x60mm
Weight	25 Kg
Noise	90,7 dB
SKU	EGDOMS3310LRL
EAN	9509157419518



WATCH
VIDEO



D'ORLY
3D CROSS LINE LASER LEVEL

Type	DORLY CUPRO
Laser lines	3D: 1x horizontal - 2x vertical
Reach	25m (50m with receiver)
Laser type	Class 2: 520nm
Self levelling	2.5° up/down (5° total)
Accuracy	±1mm/5m
Protection	IP54
Battery	Battery pack / 3x AA
Charger	USB C (included)
SKU	BBDORLYCUPRO
EAN	9501685529516



D'ORLY
LASER DISTANCE METER

Type	3080	3030
Reach	80 m	30 m
Accuracy	2 mm	2 mm
Laser class	Class 2	Class 2
Laser type	635 nm <1mW	620-690nm <1mW
Measuring unit	Metric / Imperial	Metric / Imperial
Battery	1.5V / 2xAAA	1.5V / 2xAAA
Weight	0.11 kg	0.07 kg
Insulation		IP54
SKU	BBDORLY3080	BBDORLY3030
EAN	9507249753274	9501721891591



D'ORLY
LASER DETECTOR

Laser type	Green
Range	Laser dependant
Deviation	2 mm
Protection	IP54
Power	9V Battery (included)
Sound	Yes (on/off)
Accessories	Clamp (included)
SKU	BBDORLYDETECTOR

- ⚡ **Automatic voltage regulator (AVR)** *Guarantees a consistent and reliable power supply*
- ⚡ **Voltmeter** *Provides you with reliable and accurate measurements*
- ⚡ **Oil warning system** *Promises safe operation and reduces the risk of damage*
- ⚡ **Large fuel tank** *Guarantees longer operating time*
- ⚡ **Large muffler** *Lowers noise level*
- ⚡ **Large air filter** *Helps extend the life of the generator*
- ⚡ **Fuse-less switch** *Simple operation so!*
- ⚡ **Fuel gauge** *Check fuel level at a glance*

DO8500E

8,5KW

DO8500E SPECS

Capacity AC 230V	Max. VA 8500W Continu VA 8000W
DC output 12V	8.3A
Motor	RATO R500
Type	1 Cil 4takt
Power	15Pk
Cylinder capacity	500cc
Tank Capacity	25 liter
Fuel	Gasoline
Fuel usage	≤ 374 [g/kw.h]
Full load continuous running time	7 hours
1/2 load continuous running time	11 hours
Oil capacity	1.3L
Noise level	82 dBA
Weight	96 kg
Dimensions LxWxH	684 x 562 x 559 mm

⚡ 1x230V ⚡ 2x230V 16A ⚡ 1x400V 16A 3P



DO6500E SPECS

Capacity AC 230V	Max. VA 6000W Continu VA 5500W
DC output 12V	8.3A
Motor	RATO R420
Type	1 Cil 4takt
Power	12Pk
Cylinder capacity	420cc
Tank Capacity	25 liter
Fuel	Gasoline
Fuel usage	≤ 374 [g/kw.h]
Full load continuous running time	7 hours
1/2 load continuous running time	11 hours
Oil capacity	1L
Noise level	74 dBA
Weight	85 kg
Dimensions LxWxH	684 x 562 x 559 mm

⚡ 1x230V

⚡ 2x230V 16A



DO5500E

5,5KW

DO5500E SPECS

Capacity AC 230V	max. VA 5500W contin VA 5000W
DC output 12V	8.3A
Motor	RATO R420
Type	1cil 4takt
Power	12Pk
Cylinder capacity	420cc
Tank Capacity	25 liter
Fuel	Gasoline
Fuel usage	≤ 374 [g/kw.h]
Full load continuous running time	8 hours
1/2 load continuous running time	12 hours
Oil capacity	1L
Noise level	72 dBA
Weight	83 kg
Dimensions LxWxH	684 x 562 x 559 mm

⚡ 1x230V

⚡ 2x230V 16A



DO6500E

6,5KW



D'ORLY TELESCOPIC SUPPORT				
Type	Small	Medium	Large	Extra Large
Reach	75-125cm	101-177cm	160-290cm	210-390cm
Max. capacity	180 kg	180 kg	180-100 kg	180-50 kg
SKU	HGD00075125	HGD02101177	HGD01160290	HGD03210390
EAN	9508642242723	9504325957199	9506546451296	9501774634855



D'ORLY CAULKING GUN	
Material	Metal
Cartridge size	290 / 300 / 310ml
SKU	BBD015069
EAN	9503398948516



D'ORLY CONSTRUCTION FOAM GUN	
Material	Metal
Cartridge size	290 / 300 / 310ml
SKU	BBD015069
EAN	9503398948516



PRODUCT CODE	DESCRIPTION
BBD0100210	D'Orly putty gun red / black coated
BBD015069	D'Orly caulk gun 300ml
BBDORLY0514	D'Orly Wall mount L-type 1/4" thread
BBDORLY0558	D'Orly Tripod adaptor 5/8" - 1/4"
BBDORLY159	D'Orly aluminum tripod 1,6m 5/8" on
BBDORLY3030	D'Orly rangefinder Pen 30M
BBDORLY3080	D'Orly rangefinder 80mtr ACTION PRICE
BBDORLYCUPRO	D'Orly Cupro 3D Green laser level 360°
BBDORLYDETECTOR	D'Orly Green Laser Detector
BBDORLYTRIPOD18	Tripod 1.8m + Adapter
BMD0100105	D'Orly Braid Wire 0.8mm -110 meter/roll
BMD0200120	D'Orly finishing nails 18GA 20mm box 5000pcs GV
BMD0200125	D'Orly finishing nails 18GA 25mm box 5000pcs GV
BMD0200130	D'Orly finishing rivets 18GA 30mm box 5000pcs GV
BMD0200135	D'Orly finishing rivets 18GA 35mm box 5000pcs GV
BMD0200140	D'Orly finishing rivets 18GA 40mm box 5000pcs GV
BMD0200150	D'Orly finishing rivets 18GA 50mm box 5000pcs GV
BMD0200230	D'Orly finishing nails stainless steel 18GA 30mm box 5000pcs RVS
BMD0200240	D'Orly finishing nails stainless steel 18GA 40mm box 5000pcs RVS
BMD0200250	D'Orly finishing nails stainless steel 18GA 50mm box 5000pcs RVS
BMD0200345	D'Orly DA nail 45mm box 4000pcs GV
BMD0200350	D'Orly DA nail 50mm box 4000pcs GV
BMD0200364	D'Orly DA nail 64mm box 4000pcs GV
BMD0200432	D'Orly DA nail stainless steel 32mm box 4000pcs RVS
BMD0200438	D'Orly DA nail stainless steel 38mm box 4000pcs RVS
BMD0200445	D'Orly DA nail stainless steel 45mm box 4000pcs RVS
BMD0200450	D'Orly DA nail stainless steel 50mm box 4000pcs RVS
BMD0200515	D'Orly Non 18GA 90 series 15mm box 5000pcs GV
BMD0200520	D'Orly Non 18GA 90 series 20mm box 5000pcs GV
BMD0200530	D'Orly Non 18GA 90 series 30mm box 5000pcs GV
BMD0200540	D'Orly Not 18GA 90 series 40mm box 5000pcs GV
BMD0200925	D'Orly Non 15GA Q25 63mm box 2500pcs GV
EGDOFLOWMASTER	D'Orly Mixer Station Flex
EGDOMS3310LRL	D'Orly telescopic miter saw MS3310LRL
EGDOMX-1800	D'Orly Mixer MX-1800
HGDO0075125	Adjustable support 75-125cm
HGDO2101177	Adjustable support 101-177cm
HGDO1160290	Adjustable support 160-290cm
HGDO3210390	Adjustable support 210-390cm
HGDO15195	D'Orly Stamp base 7x20cm Set a 2 pcs.
HGDO100100	D'orly blocking mechanism
LPDO-PU0812	PU braided hose 8x12 100m/roll
LPDO-PU0812-10M	PU hose 10mtr 8x12 with quick couplings
LPDO-PU0812-15M	PU hose 15mtr 8x12 with quick couplings
LPDO-SOU-SF20	Female coupling 1/4" BSP inner orion
LPDO-SOU-SH30	Barb coupling with 8mm tube Orion
LPDO-UAPH20	Barb plug with 8mm Orion
LPDO-UAPM 20	Male plug 1/4" BSP outer orion
LPDO100300	D'Orly automatic floor hose reel 30m - 8x12mm hose 12 bar
LPDO100301	Spring for D'Orly hose reel
LPDO100302	D'Orly Wall mount for floor hose reel
LPDOPETUBE	PE Tube White 6x4 mm - 100 meter
LPDOR30003	Aut. condensate drain 230V 1/4" D'Orly RH
LPDOR30005	Aut. condensate drain 380V 1/4" D'Orly RH
LPDORDC0502	D'orly piston compressor DC-0502
LPDORDC1004	D'orly piston compressor DC-1004
LPDORDD1200	D'orly RH-series compressed air dryer DD-1200
LPDORDD1800	D'orly RH-series compressed air dryer DD-1800
LPDORDD850	D'orly RH-series compressed air dryer DD-850
LPDORDRH0503	D'orly RH-series piston comp. DRH-0503
LPDORDRH1004	D'orly RH-series piston compr. DRH-1004
LPDORDRH2705	D'orly RH-series piston compress. DRH-2705
LPDORDRH50055	D'orly RH-series tandem comprr. DRH-50055
LPDORRH1000	D'orly RH-series screw comp. RH-1000
LPDORRH1000T	D'orly RH-series screw comp. RH-1000T
LPDORRH1000TD	D'orly RH-series screw comp. RH-1000TD
LPDORRH1500	D'orly RH-series screw comp. RH-1500
LPDORRH1500T	D'orly RH-series screw comp. RH-1500T
LPDORRH1500TD	D'orly RH-series screw comp. RH-1500TD
LPDORRH2000	D'orly RH-series screw comp. RH-2000
LPDORRH2000T	D'orly RH-series screw comp. RH-2000T
LPDORRH2000TD	D'orly RH-series screw comp. RH-2000TD
LPRED20003	Red Head tube frame compressor 1.5HP
REDORH1015004	Separate filter screw comp. RH1000/1500
REDORH1015005	Air filter screw comp. RH1000/1500
REDORH1015006	Oil filter screw compressor RH1000/1500
LPRED100050	Red Head Brad tackler BN50RC 50mm 18GA
LPRED100064	Red Head DA64FN Gauge tackler 64mm 15GA
LPRED100070	Red Head PCN70 Pneum. Coiltackler 70mm
LPRED100090	Red Head PCN90 Pneum. Coiltackler 90mm
LPRED1005040	Red Head PIN5040RC Combitalackler brad/stap

D'ORLY

www.kem-europe.eu

Listed prices are recommended sales prices in Euro excluding VAT.

Subject to modifications. No liability can be accepted for errors or misprints.
D'ORLY Tools are distributed by KEM Europe BV, Netherlands.

KEM
EUROPE